







STANDARD TUBES AND PROFILES

As KMC Steel & Roll Forming, we serve to automotive main industry, furniture, domestic appliance, steel goods, decoration, heating & cooling, air conditioning, civil works & steel construction, scaffolding profiles, heated towel rack, solar energy systems, and agricultural irrigation & greenhouse industries by specially produced profiles. We continue to our stabilized commercial life for over half century, with annually 150 thousand trade capacity of Carbon Steel, Galvanized, Hot Rolled and pre-painted on demand and following the latest technology in order to serve you better. We maintain our quality perspective by performing physical & chemical tests in our own in house laboratories and R&D center, from raw material to finished products, using EC (Eddy Current), leak proof test, zinc spray coating on welding point and internal deburring processes. Your special cut to length requirements can be done in our computer controlled CNC and multi saw lines. We provide our best of services to you with ISO 9001 and IATF 16949 quality certificates being environmentally friendly and mindful to labors and occupational safety measurements.

RECTENGULAR & SQUARE PROFILES





DIMENSIONS			[S] THICKNESS (in)														
Outer Diameter			0.020	0.024	0.028	0.031	0.035	0.039	0.047	0.059	0.079	0.098	0.118	0.157	0.197	0.236	0.315
a x b (in)																	
0.393"/0.393"																	
0.472"/0.472"																	
0.500"/0.500"																	
0.393"/0.787"	0.590"/0.590"																
0.393"/1.181"	0.590"/0.984"	0.787"/0.787"															
0.787"/1.181"	0.984"/0.984"	0.433"/1.574"															
0.787"/1.574"	1.181"/1.181"																
0.984"/1.574"																	
1.181"/1.574"	1.377"/1.377"																
1.181"/1.968"	1.574"/1.574"																
1.181"/2.362"	1.574"/1.968"	1.771"/1.771"															
1.574"/2.362"	1.968"/1.968"	1.181"/2.755"															
1.574"/3.149"	1.968"/2.755"	2.362"/2.362"															
2.362"/3.149"	2.755"/2.755"																
1.968"/3.937"																	
2.362"/3.937"	3.149"/3.149"																
2.362"/4.724"																	
3.149"/4.724"	3.937"/3.937"																
3.149"/5.511"	4.330"/4.330"																
4.724"/4.724"	3.149"/6.299"																
3.937"/5.905"																	
5.905"/5.905"	3.937"/7.874"																

Please contact us for your orders except for the mentioned measures above.





TUBE PROFILES



DIMENSIONS	(S) THICKNESS (in)															
Outer Diameter	0.020	0.024	0.028	0.031	0.035	0.039	0.047	0.059	0.079	0.098	0.118	0.138	0.157	0.197	0.236	0.315
d (in)																
0.393"																
0.472"																
0.511"																
0.551"																
0.629"																
0.669"																
0.708"																
0.787"																
0.826"																
0.866"																
0.905"																
0.984"																
1.062"																
1.102"																
1.102"																
1.181"																
1.259"																
1.338"																
1.377"																
1.496"																
1.574"																
1.653"																
1.771"																
1.889"																
2.007"																
2.125"																
2.244"																
2.362"																
2.480"																
2.755"																
2.992"																
3.228"																
3.503"																
3.700"																
4.015"																
4.488"																
5.000"																
5.472"																
5.984"																
6.259"																
6.614"																
7.519"																

Please contact us for your orders except for the mentioned measures above.



OVAL & ELIPSE PROFILES



DIMENSIONS	[S] THICKNESS (in)						
Outer Diameter	0,031	0,035	0,039	0,047	0,059	0,079	0,118
a x b (in)							
0,551"/0,314"							
0,629"/0,314"							
0,787"/0,393"							
0,984"/0,590"							
1,181"/0,393"							
1,181"/0,590"							
1,181"/2,755"							
1,377"/0,590"							
1,377"/0,787"							
1,574"/0,787"							
1,771"/0,590"							
1,889"/0,787"							
1,968"/0,787"							
1,968"/0,984"							
1,968"/1,181"							
2,165"/0,984"							
2,362"/0,787"							
2,362"/1,181"							
2,480"/1,968"							
2,677"/1,968"							
3,149"/0,984"							

Please contact us for your orders except for the mentioned measures above.

D PROFILES



DIMENSIONS	[S] THICKNESS (in)							
Outer Diameter	0,024	0,028	0,031	0,035	0,039	0,047	0,059	0,079
a x b (in)								
1,181"/0,787"								
1,181"/0,590"								
1,181"/1,574"								
1,377"/0,787"								
1,574"/0,787"								
1,496"/1,023"								
1,574"/1,181"								
1,968"/0,984"								
2,362"/1,968"								

Please contact us for your orders except for the mentioned measures above.

PACKING



